
FIGURE 1



100

| | = |
|------------|---|
| V/C 302 | 324 526 328 324 326 328 In-line finish portion 300C |
| V/C 302 | FVI 326 e finish 300C |
| V/C 302 | 324 In-lin |
| | 1930 330 |
| V/C 302 | sort 322 32 |
| | 4 316 SBA saw 4 316 318 320 In-line end-of-line portion 300B |
| V/C 302 | 318 318 d-of-li 3008 |
| | nold PMC 314 316 in-line en |
| V/C 302 | ma mold PMC 2 314 316 in-line el |
| | plas 31 |
| V/C 302 | W/B 310 e portion |
| | cure plasma W/B 306 308 310 |
| | 306 306 -Iine fro |
| V/C 302 | 10/A 304 In |

FIGURE 2

in-line front-of-line portion 300A

| V/C | V/C |
|-----|-----|
| 302 | 302 |

| D/A | cure | plasma | W/B | plasma |
|-----|------|--------|-----|--------|
| 304 | 306 | 308 | 310 | 312 |

in-line end-of-line portion 300B

| V/C | V/C | V/C |
|-----|-----|-----|
| 302 | 302 | 302 |
| | | |

| mold | PMC | SBA | saw | sort |
|------|-----|-----|-----|------|
| 314 | 316 | 318 | 320 | 322 |

ingly a street

in-line finish portion 300C

| V/C | V/C | * | V/C |
|-----|-----|---|-----|
| 302 | 302 | | 302 |

| mark | FVI | T/R |
|------|-----|-----|
| 324 | 326 | 328 |

460

O G

Figure 4

Flgure.5

100857.Je

FIGURE 6

FIG. 7





FIGURE 8







FIGURE 10




. ...

)

FIGURE 12

143.4.



716 13